

# CERTIFICATE OF ANALYSIS

# NorthBio

Fetal Bovine Serum  
Cell Culture Grade  
USDA Approved Origin


Lot # : SF17016  
Catalog # : NBSF-402  
Lot Expiry : June 2016

Test	Test Method	Specification	Result
<i>Sterility and Endotoxin</i>			
Sterility	USP <71>	No evidence of microbial growth	No evidence of microbial growth
Mycoplasma	Large Volume Direct Culture	Not Detected	Not Detected
Mycoplasma	FDA Points to Consider 1993	Not Detected	Not Detected
Endotoxin	USP <85> LAL Gel Clot	< 10 EU/ml	< 0.05 EU/ml
<i>Viral Safety Testing</i>			
BVD	9 CFR 113.53	Not Detected	Not Detected
HA	9 CFR 113.53	Not Detected	Not Detected
CPE	9 CFR 113.53	Not Detected	Not Detected
Bovine Parvo	9 CFR 113.53	Not Detected	Not Detected
Bovine Adeno 3	9 CFR 113.53	Not Detected	Not Detected
Bovine Adeno 5	9 CFR 113.53	Not Detected	Not Detected
BRSV	9 CFR 113.53	Not Detected	Not Detected
REO Virus	9 CFR 113.53	Not Detected	Not Detected
Rabies	9 CFR 113.53	Not Detected	Not Detected
Blue Tongue	9 CFR 113.53	Not Detected	Not Detected
BVD Antibody	Serum Neutralization	As Reported	n/a
<i>Biochemistry</i>			
Total Protein	Biuret	30 – 45 g/L	42 g/L
Albumin	Gel Electrophoresis	As Reported	20.5 g/L
Globulins	Gel Electrophoresis	As Reported	21.5 g/L
Bilirubin	Diazo	As Reported	11.4 µmol/L
ALT	Int'l Fed.Clinical Chemistry	As Reported	14 U/L
AST	Int'l Fed. Clinical Chemistry	As Reported	36 U/L
LDH	Gay's Lactate	As Reported	927 mmol/L
Cholesterol	Cholesterol esterase/oxidase/perox	As Reported	0.7 mmol/L
Glucose	Glucose oxidase/peroxidase	As Reported	4.6 mmol/L
Urea	Urease/glutamate dehydrogenase	As Reported	4.3 mmol/L
Creatinine	Alkaline Picric Acid	As Reported	165 mmol/L
Sodium	Ion Selective Electrode	As Reported	141 mmol/L
Potassium	Ion Selective Electrode	As Reported	8.4 mmol/L
Calcium	Cresolphthalein Complexone	As Reported	2.48 mmol/L
Phosphorus	Ammonium Molybdate	As Reported	2.3 mmol/L
Osmolality	Freezing Point Depression	280 – 340 mOsm/Kg	301 mOsm/Kg
Serum Identity	Ouchterlony	Bovine	Bovine
IgG	Elisa	< 250 mg/mL	n/a mg/L
Hemoglobin	Spectrophotometric	≤ 20.0 mg/dL	10.5 mg/dL
pH	Potentiometric	6.80 – 8.20	7.73
Specific Gravity	Weight / Volume	≥ 1.010 g/mL	1.023 g/mL
ALP	Colorometric	As Reported	n/a U/L
GGT	Enzymatic Colorometric	As Reported	n/a U/L
Chloride	Indirect ISE	As Reported	n/a mmol/L
Uric Acid	Enzymatic Colorometric	As Reported	n/a mmol/L
Triglyceride	Enzymatic	As Reported	n/a mmol/L
<i>Cell Culture Performance</i>			
Plating Efficiency	Diploid Cell Line	Pass	Pass
Population Dblg	Diploid Cell Line	Pass	Pass
Cell Toxicity	Diploid Cell Line	None	None
Growth Promotion	Diploid Cell Line	≥ 75 % of in house control	96.9 %
Appearance	Visual	Clear yellow-amber	Complies

### Statement of Origin

THIS SERUM HAS BEEN DERIVED FROM BLOOD ASEPTICALLY COLLECTED IN APPROVED ABATOIRS. THE SERUM WAS ASEPTICALLY PROCESSED AND FILTER STERILIZED IN CANADA IN A FACILITY REGISTERED WITH MEDICAL DEVICES (U.S.) FOLLOWING GUIDELINES OF F.D.A. AND H.P.F.B. (CANADA). THE COUNTRY OF ORIGIN OF THE CRUDE BLOOD (DONOR COW) IS MEXICO.

APRIL 10, 2010  
DATE

  
C. BROHMAN, QUALITY ASSURANCE

NORTHBIO INC. | TEL 1 888 428-9775  
TORONTO ON CANADA | FAX 1 888 857-9775  
M5R 2E3 | EM: [INFO@NORTHBIO.COM](mailto:INFO@NORTHBIO.COM)